

ALÜMİNYUM PROFİL KATALOĞU

Aluminum
Profile
Catalog


Каталог
Алюминиевых
профилей

الدليل التعريفي
لمقاطع الألمنيوم

System of Extrusion

 **ALMAS**
ALÜMİNYUM A.Ş.

Fabrika 1



Fabrika 2



System of Extrusion



2017 yılında Ankara Sincan ASO 2 Organize Sanayi Bölgesinde 3.500m² kapalı alanda hizmet vermeye başlayan ALMAŞ ALÜMİNYUM bugün 13.500m² kapalı olmak üzere toplam 24.000m² alanda müşterilerine hizmet vermeye devam etmektedir.

'Her Fabrika Bir Kaledir' anlayışı ile, hızla değişen ve gelişen iş dünyasında başarıyı artırmak, kalite, teknoloji ve kapasite alanlarında kendini sürekli geliştirmeyi ve müşterilerine güvenli ve çevre dostu teknolojilerle bütünlük ürün ve hizmetler sunmayı kendine amaç edinmiştir.

Fabrikamızda 1 adet 6 inch 1.500 Ton, 2 adet 5 inch 1.100 Tonluk 3 ekstrüzyon presi, 1 adet Eloksal Kaplama Tesisi ve 1 adet İnfrared Ön Isıtmalı Tünel Fırın Elektrostatik Toz Boya Tesisi bulunmaktadır.

Bu bağlamda iç ve dış pazardaki büyüme göz önünde bulundularak 2024 yılı için ilave kapasite artışına gidilecektir. Bu öngörümüze bağlı olarak, 10.000 ton/yıl profil üretim gücüne sahip 8 inch 2.500 Ton Ekstrüzyon Presi ve 14.400 Ton/yıl kapasiteli Elektrostatik Dikey Toz Boyama Tesisi kurulması planlanmaktadır.

Alüminyum Profil üretim kapasitesi 12.600ton/yıl, Eloksal kaplama kapasitesi 12.000ton/yıl, Elektrostatik Toz Boya Tesisi kapasitesi 3.600ton/yıl'dır.

Ekstrüzyon tesisimizde EN AW 6063, 6060, serisi alaşımlarla alüminyum profiller üretilmektedir. Ürettiğimiz alüminyum profiller TS EN 755-1 standardına uygundur.

Eloksal tesisimizde, alüminyum profillere 20 mikrona kadar eloksal kaplayabiliyoruz. İleri teknolojiye sahip eloksal tesisimizde, naturel, mat bronz, mat siyah, parlak beyaz, parlak bronz, ve parlak siyah tonlarında eloksal kaplama yapılabilmektedir.

Elektrostatik tozboya hattımızda, RAL renklerde ve özel renklerde, epoksi, polyester, epoksi-polyester ve metalik tozboyalarla düz ve tekstüre yüzeyler boyanabilmektedir.

Üretimini gerçekleştirdiğimiz alüminyum profilleri başta yurt içi olmak üzere Macaristan, Almanya, Romanya, Tunus, Sırbistan, Fas, Hollanda, Amerika, Fransa, Polonya ve İsveç'e ihraç etmekteyiz.

Tamamıyla yerli sermaye ile kurulmuş olan firmamız, standart alüminyum profillerin yanı sıra müşteriye özel ve proje bazlı üretim yapmakta olup, yapı-inşaat, cam balkon, solar sistemler, tente, çadır, perde, mobilya, menfez-havalandırma, medikal, reklam, aydınlatma, savunma sanayi, otomotiv, gibi sektörlere profil üretmektedir.

Dünya çapındaki rekabet ve zorluklara rağmen büyümeye devam eden şirketimiz, yeşil enerjiyi destekleyerek çevreye duyarlı, sürdürülebilir, verimli, yenilikçi çözüm ve hizmetler sunarak, sektörün Ankara'daki ve ülkemizdeki parlayan yıldızı ve gururu olmaya devam etmektedir.

In 2017, ALMAŞ ALÜMİNYUM started the journey in Ankara Sincan ASO 2. Organized Industrial Zone in a closed area of 3.500m² and today continues to serve the customers in a total area of 24.000m², including 13.500m² closed area.

By sticking to the 'Every Factory is a Castle' idea, ALMAŞ ALÜMİNYUM aims to increase success in the rapidly changing business world, to continuously improve itself in the means of quality, technology and capacity, and to provide customers with products and services integrated with safe and eco-friendly technologies.

Our factory has 3 extrusion presses; a 6 inches 1.500 Tons, two 5 inch 1.100 Tons, an Anodizing Coating Plant and an Infrared Preheated Tunnel Oven Electrostatic Powder Coating Plant.

In this context, considering the growth in the domestic and foreign markets, additional capacity will be increased for 2024. Based on this projection, it is planned to build an 8 inches 2,500 Tons Extrusion Press with the profile production capacity of 10,000 tons/year and an Electrostatic Vertical Powder Coating Plant with a capacity of 14,400 tons/year.

Aluminum profile production capacity is 12,600 tons/year, Anodizing coating capacity is 12,000 tons/year, Electrostatic Powder Coating Plant capacity is 3,600 tons/year.

In our extrusion facility, aluminum profiles are produced with EN AW 6063, 6060, series alloys. The aluminum profiles we produce comply with TS EN 755-1 standard.

In our anodizing facility, we can anodize aluminum profiles up to 20 microns. In our anodizing facility with advanced technology, anodizing coating can be done in natural, matt bronze, matt black, bright white, bright bronze, and bright black tones.

In our electrostatic powder coating line, flat and textured surfaces can be painted with epoxy, polyester, epoxy-polyester and metallic powder coatings in RAL colors and special colors.

We export aluminum profiles mainly to Hungary, Germany, Romania, Tunisia, Serbia, Morocco, the Netherlands, America, France, Poland and Sweden.

Our company makes customer-specific and project-based production as well as standard aluminum profiles and produces profiles for sectors such as building&construction, glass balcony, solar systems, awning, tent, curtain, furniture, ventilation-ventilation, medical, advertising, lighting, defense industry, automotive.

Our company, which continues to grow despite global competition and challenges, continues to be the shining star of the sector in Ankara and in our country by supporting green energy and providing environmentally sensitive, sustainable, efficient, innovative solutions and services.

Almaş Alüminyum Katalog

BASKI 4

Ocak 2024

Fabrika 1: ASO-2 OSB 2007 Cad. No:16 Alcı OSB Mh. Sincan/Ankara
Fabrika 2: ASO-2 OSB 2013 Cad. No:25 Alcı OSB Mh. Sincan/Ankara
Tel:0 (312) 502 30 85 / Faks:0 (312) 502 30 86
web: www.almasaluminyum.com e-posta: info@almasaluminyum.com

İÇİNDEKİLER INDEX

STANDART PROFİLLER _____ 7
Standart Profiles

DOĞRAMA PROFİLLERİ _____ 17
Windows&Doors Sectionsfiles

KARE KORKULUK SİSTEMLERİ _____ 25
Square Balustrade Systems

CAM BALKON _____ 28
Glass Balcony Profiles

SÜRME SİSTEM PROFİLLERİ _____ 38
Sliding System Profiles

GİYOTİN SİSTEM PROFİLLERİ _____ 44
Guillotine System Profiles

PERDE PROFİLLERİ _____ 50
Curtain Profiles

DUŞAKABİN PROFİLLERİ _____ 72
Shower Cabin Profiles

SİNEKLİK&PANJUR PROFİLLERİ _____ 75
Swatter & Roller Shutter Profiles


SOLAR SİSTEM PROFİLLER _____ 89
Solar System Profiles

MENFEZ HAVALANDIRMA PROFİLLERİ _____ 92
Colvert and Ventilation Profiles


ÖZEL PROFİLLER _____ 95
Customized Profiles

ÜRETİLEBİLEN MAX. PROFİL BOYUTLARI
MAXIMUM PRODUCTION DIMENSIONS


- 190x10mm
- 180x30mm
- 170x50mm
- 100x100mm
- Ø130mm




Standart Profiller | Standart Profiles




3247
0,105 kg/m




3248
0,191 kg/m



3249
0,256 kg/m




3250
0,347 kg/m




3251
0,418 kg/m


Standart Profiller | Standart Profiles




3469
0,105 kg/m




3470
0,133 kg/m



3471
0,187 kg/m




3726
0,626 kg/m




3969
0,464 kg/m


Standart Profiller | Standart Profiles




3612
0,166 kg/m




3258
0,253 kg/m




3447
0,295 kg/m




3448
0,382 kg/m



3801
0,434 kg/m




4049
0,563 kg/m




3259
0,422 kg/m

Standart Profiller | Standart Profiles




3488
0,477 kg/m

3260
0,531 kg/m




3261
0,765 kg/m




3487
1,079 kg/m


Standart Profiller | Standart Profiles



3232
0,957 kg/m




3551
0,936 kg/m




3552
1,343 kg/m


Standart Profiller | Standart Profiles




Standart Profiller | Standart Profiles



Standart Profiller | Standart Profiles




3245
0,760 kg/m




3244
0,352 kg/m

Standart Profiller | Standart Profiles





3311
0,540 kg/m




3384
1,271 kg/m


Standart Profiller | Standart Profiles




Doğrama Profilleri | Windows&Doors Sectionsfiles




3224
0,464 kg/m
AD DAR KASA




3225
0,556 kg/m
AD DAR ORTA KAYIT




3398
0,718 kg/m
AD YARIM SERİ KASA



3399
0,878 kg/m
AD YARIM SERİ ORTA KAYIT




3934
0,604 kg/m
AD YARIM SERİ KASA




3935
0,710 kg/m
AD YARIM SERİ ORTA KAYIT

Doğrama Profilleri | Windows&Doors Sectionsfiles




3455
0,841 kg/m
AD Z KANAT

3937
0,710 kg/m
AD Z KANAT




3397
1,283 kg/m
ALDOKS ETEK




3938
1,157 kg/m
ALDOKS ETEK


Doğrama Profilleri | Windows&Doors Sectionsfiles



3400
1,153 kg/m
AD GENİŞ KAPI




3939
1,029 kg/m
AD GENİŞ KAPI




3942
0,710 kg/m
AD 90° KÖŞE


Doğrama Profilleri | Windows&Doors Sectionsfiles




3940
1,029 kg/m
GENİŞ ORTA KAYIT




3941
911 kg/m
GENİŞ KASA



3226
0,210 kg/m
AD TEK CAM ÇITA




3454
0,193 kg/m
AD ISI CAM ÇITA




3936
0,250 kg/m
AD ÇITA 6mm


Doğrama Profilleri | Windows&Doors Sectionsfiles




3443
1,068 kg/m
SİSTEM 5 KASA



3446
1,221 kg/m
SİSTEM 2 ORTA KAYIT




3442
1,267 kg/m
SİSTEM PENCERE KANAT




3444
1,107 kg/m
SİSTEM ÇİFT KAPI ADAPTÖR


Doğrama Profilleri | Windows&Doors Sectionsfiles




3440
1,725 kg/m
SİSTEM 135'lik ETEK



3441
1,534 kg/m
SİSTEM GENİŞ KAPI




3570
0,217 kg/m
SİSTEM ISI ÇITA




3445
0,304 kg/m
SİSTEM TEK CAM ÇITA


Doğrama Profilleri | Windows&Doors Sectionsfiles




4048
1,075 kg/m
SİSTEM ÇİFT KAPI ADAPTÖR



3636
1,070 kg/m
SİSTEM 55 DAR ORTA KAYIT




3637
1,371 kg/m
SİSTEM 55 ADAPTÖR




3572
0,706 kg/m
TAHTA LAMBRI


Doğrama Profilleri | Windows&Doors Sectionsfiles



3648
1,056 kg/m
SİSTEM KÖŞE




3649
1,054 kg/m
AD 5 KÖŞE




3650
0,858 kg/m
AD 4 KÖŞE


Kare Korkuluk Sistemleri | Square Balustrade Systems





3644
1,697 kg/m




3645
0,256 kg/m




3646
0,334 kg/m




Kare Korkuluk Sistemleri | Square Balustrade Systems




Kare Korkuluk Sistemleri | Square Balustrade Systems




Cam Balkon Profilleri | Glass Balcony Profiles




3202
1,255 kg/m
Firtına Kasa



3203
0,763 kg/m
Firtına Baza




3256
1,464 kg/m
Firtına Kasa




3257
0,990 kg/m
Firtına Baza


Cam Balkon Profilleri | Glass Balcony Profiles




3200
1,094 kg/m
Gold Kasa



3201
0,712 kg/m
Gold Baza




3254
1,428 kg/m
Gold Kasa




3253
0,875 kg/m
Gold Baza


Cam Balkon Profilleri | Glass Balcony Profiles




3263
1,294 kg/m
Gold Kasa



3264
0,929 kg/m
Gold Baza




3255
1,504 kg/m
Gold Kasa




3290
1,336 kg/m
Gold Kasa Oluklu


Cam Balkon Profilleri | Glass Balcony Profiles




3204
0,428 kg/m
20'lik Dikme



3205
0,426 kg/m
10'luk Dikme





3388
0,532 kg/m





3964
0,363 kg/m


Cam Balkon Profilleri | Glass Balcony Profiles




Cam Balkon Profilleri | Glass Balcony Profiles




Cam Balkon Profilleri | Glass Balcony Profiles



3682
0,698 kg/m
Sürme Kilit 1




3683
0,449 kg/m
Sürme Kilit 2




3684
0,229 kg/m
Sürme Kilit Karşılığı


Cam Balkon Profilleri | Glass Balcony Profiles



3457
0,918 kg/m
Sürme 90° Köşe




3704
0,565 kg/m
Sürme 90° Köşe




3694
0,297 kg/m
45° ISICAM FİTİL


Cam Balkon Profilleri | Glass Balcony Profiles




3797
0,213 kg/m
Büyük H




3240
0,220 kg/m
Büyük H




3241
0,141 kg/m
Küçük H




3286
0,128 kg/m
45° Fitol




3287
0,118 kg/m
22,5° Fitol



3693
0,266 kg/m
90° Fitol




3962
0,143 kg/m
8mm U Fitol




3602
0,154 kg/m
10mm U Fitol


Cam Balkon Profilleri | Glass Balcony Profiles




3598 - 3599
0,872 kg/m




3598
0,650 kg/m
U Ayar




3599
0,222 kg/m
U Ayar Kapak



3630
0,202 kg/m
6mm Büyük H




3631
0,142 kg/m
6mm Küçük H




3632
0,131 kg/m
6mm U Fitol


Sürme Sistem Profilleri | Sliding System Profiles



3908
1,816 kg/m




3982
1,321 kg/m




3983
0,904 kg/m


Sürme Sistem Profilleri | Sliding System Profiles




3984
0,920 kg/m




3985
0,675 kg/m




3987
0,180 kg/m



3986
0,804 kg/m




3910
0,201 kg/m




3909
0,304 kg/m


Sürme Sistem Profilleri | Sliding System Profiles




Sürme Sistem Profilleri | Sliding System Profiles




Sürme Sistem Profilleri | Sliding System Profiles




Sürme Sistem Profilleri | Sliding System Profiles



Giyotin Sistem Profilleri | Guillotine System Profiles




3860
2,213 kg/m




3861
1,372 kg/m

Giyotin Sistem Profilleri | Guillotine System Profiles




3862
1,936 kg/m




3863
1,384 kg/m


Giyotin Sistem Profilleri | Guillotine System Profiles




Giyotin Sistem Profilleri | Guillotine System Profiles




Giyotin Sistem Profilleri | Guillotine System Profiles




Giyotin Sistem Profilleri | Guillotine System Profiles




Perde Profilleri | Curtain Profiles




3001
0,207 kg/m
Dar Stor Kasa




3016
0,204 kg/m
Geniş Stor Kasa



3048
0,172 kg/m
İnce Dar Stor Kasa




3027
0,182 kg/m
Kulaksız Geniş Stor Kasa




3029
0,157 kg/m
Kulaksız Dar Stor Kasa


Perde Profilleri | Curtain Profiles




3010
0,204 kg/m
Zebra Dar Kasa



3003
0,233 kg/m
Zebra Geniş Kasa




3038
0,177 kg/m
Alınsız Zebra Dar Kasa




3030
0,213 kg/m
Zebra Geniş Kasa 10mm


Perde Profilleri | Curtain Profiles




3011
0,196 kg/m
30'luk Stor Boru




3002
0,180 kg/m
32'lik Stor Boru




3037
0,325 kg/m
38'lik Jumbo Tırnaksız



3004
0,360 kg/m
38'lik Jumbo Tırnaklı Boru




3013
0,470 kg/m
47'lik Motor Boru




3033
0,815 kg/m
65'lik Motor Borusu


Perde Profilleri | Curtain Profiles




3005
0,237 kg/m
Kanallı Lama




3017
0,187 kg/m
Düz Kanalsız Lama




3522
0,263 kg/m
Kanallı Lama




3007
0,178 kg/m
Minyatür Lama




3028
0,144 kg/m
Kanalsız Minyatür Lama




3031
0,129 kg/m
Çakma Lama




3034
0,168 kg/m
Stor Etek Çıtası



3041
0,345 kg/m
Armut Lama




3043
0,444 kg/m
Özel Lama




3044
0,233 kg/m
Özel Lama


Perde Profilleri | Curtain Profiles




Perde Profilleri | Curtain Profiles




Perde Profilleri | Curtain Profiles




Perde Profilleri | Curtain Profiles




Perde Profilleri | Curtain Profiles




Perde Profilleri | Curtain Profiles




Perde Profilleri | Curtain Profiles




3020
0,541 kg/m
Çiftli Kapalı Kasa



3113
0,426 kg/m
Çiftli Kapalı Kasa




3040
0,705 kg/m
Stor Kapalı Kasa




3701
0,756 kg/m


Perde Profilleri | Curtain Profiles



3714
0,506 kg/m




3079
0,499 kg/m




3715 R1
0,563 kg/m


Perde Profilleri | Curtain Profiles




3021
0,325 kg/m




3022
0,298 kg/m




3032
0,357 kg/m



3532
0,325 kg/m




3697
0,312 kg/m




3731
0,449 kg/m


Perde Profilleri | Curtain Profiles




3035
0,184 kg/m




3067
0,174 kg/m




3676
0,139 kg/m




3727
0,147 kg/m




3703
0,297 kg/m




3782
0,125 kg/m



3836
0,208 kg/m




3051
0,651 kg/m
3cm'lik Rustik Ayağı




3052
0,880 kg/m
4cm'lik Rustik Ayağı

Perde Profilleri | Curtain Profiles



3711
1,245 kg/m


3097
1,162 kg/m



3712
1,419 kg/m


3713 R1
0,963 kg/m

Perde Profilleri | Curtain Profiles




3109
0,772 kg/m


3710
0,705 kg/m




3108
0,605 kg/m



3053
0,594 kg/m




3835
0,776 kg/m




3106
0,670 kg/m


Perde Profilleri | Curtain Profiles




Perde Profilleri | Curtain Profiles




Perde Profilleri | Curtain Profiles




3065
0,289 kg/m




3066
0,438 kg/m



3559
0,577 kg/m




3102
0,978 kg/m




3096
0,477 kg/m


Perde Profilleri | Curtain Profiles




3554
0,384 kg/m
Lazer Perde Laması




3555
0,055 kg/m
Lazer Perde Mili




3525
0,240 kg/m



3524
0,387 kg/m




3660
0,233 kg/m




3661
0,209 kg/m


Perde Profilleri | Curtain Profiles




Perde Profilleri | Curtain Profiles




Duşakabin Profilleri | Shower Cabin Profiles



3997
0,579 kg/m
Lüks Seri




3998
0,423 kg/m
Lüks Seri




3999
0,234 kg/m
Lüks Seri


Duşakabin Profilleri | Shower Cabin Profiles




3493
0,439 kg/m
Bella Seri




3494
0,224 kg/m
Bella Seri




3495
0,329 kg/m
Bella Seri



3496
0,278 kg/m
Bella Seri




3497
0,249 kg/m
Bella Seri




3498
0,237 kg/m
Bella Seri


Duşakabin Profilleri | Shower Cabin Profiles



3499
0,340 kg/m
Bella Seri




3500
0,484 kg/m
Bella Seri



3501
0,431 kg/m
Bella Seri

Sineklik & Panjur Profilleri | Swatter & Roller Shutter Profiles




3891
0,148 kg/m


3246
0,159 kg/m

3362
0,186 kg/m


3363
0,163 kg/m



3277
0,333 kg/m
32'lik Plise Kasa




3278
0,341 kg/m
32'lik Plise Kanat




3981
0,345 kg/m
32'lik Plise Kanat


Sineklik & Panjur Profilleri | Swatter & Roller Shutter Profiles




3279
0,277 kg/m
28'lik Plice Kasa




3280
0,326 kg/m
28'lik Plice Kanat




3967
0,253 kg/m
19'luk Plice Kasa




3968
0,392 kg/m
19'luk Plice Kanat




3233
0,417 kg/m




3234
0,639 kg/m




3235
0,238 kg/m




3236
0,260 kg/m




3237
0,249 kg/m




3266
0,266 kg/m



3267
0,680 kg/m




3268
0,216 kg/m




3269
0,436 kg/m


Sineklik & Panjur Profilleri | Swatter & Roller Shutter Profiles




Sineklik & Panjur Profilleri | Swatter & Roller Shutter Profiles




Sineklik & Panjur Profilleri | Swatter & Roller Shutter Profiles




Sineklik & Panjur Profilleri | Swatter & Roller Shutter Profiles




Sineklik & Panjur Profilleri | Swatter & Roller Shutter Profiles




3336
0,159 kg/m



3337
0,276 kg/m




3338 R
0,418 kg/m




3339
0,257 kg/m


Sineklik & Panjur Profilleri | Swatter & Roller Shutter Profiles



3340
0,610 kg/m




3341
0,684 kg/m




3342
0,333 kg/m


Sineklik & Panjur Profilleri | Swatter & Roller Shutter Profiles



3401
0,404 kg/m




3447
0,295 kg/m




3448
0,382 kg/m


Sineklik & Panjur Profilleri | Swatter & Roller Shutter Profiles



3551
0,936 kg/m




3552
1,343 kg/m




3564
0,982 kg/m


Sineklik & Panjur Profilleri | Swatter & Roller Shutter Profiles




Sineklik & Panjur Profilleri | Swatter & Roller Shutter Profiles




Sineklik & Panjur Profilleri | Swatter & Roller Shutter Profiles



3436
0,552 kg/m




3437
0,351 kg/m




3966
0,272 kg/m


Solar Sistem Profilleri | Solar System Profiles




3923
0,876 kg/m



3924
0,711 kg/m




3925
0,504 kg/m




3926
1,668 kg/m


Solar Sistem Profiller | Solar System Profiles




Solar Sistem Profiller | Solar System Profiles




Menfez ve Havalandırma Profilleri | Colvert and Ventilation Profiles




Menfez ve Havalandırma Profilleri | Colvert and Ventilation Profiles




Menfez ve Havalandırma Profilleri | Colvert and Ventilation Profiles




Özel Profiller | Customized Profiles




Özel Profiller | Customized Profiles




Özel Profiller | Customized Profiles




Özel Profiller | Customized Profiles




3708
0,290 kg/m
Cetvel




3047
0,290 kg/m
Hastane Rayı




3549
0,217 kg/m




3900
0,124 kg/m




3858
0,348 kg/m



3242
0,158 kg/m
Gergi Tavan




3243
0,182 kg/m
Gergi Tavan




3456
0,111 kg/m
Gergi Tavan


Özel Profiller | Customized Profiles




3209
0,141 kg/m




3210
0,185 kg/m




3211
0,218 kg/m




3212
0,528 kg/m




3213
0,347 kg/m



3214
0,347 kg/m





3215
0,461 kg/m













3216
0,547 kg/m


Özel Profiller | Customized Profiles




Özel Profiller | Customized Profiles



Özel Profiller | Customized Profiles





Özel Profiller | Customized Profiles




Özel Profiller | Customized Profiles


Özel Profiller | Customized Profiles



Özel Profiller | Customized Profiles



Özel Profiller | Customized Profiles



This image shows a blank sheet of white paper with horizontal ruling lines. The word "Nella" is written in a cursive script at the top left corner. The rest of the page is empty, with no other text or markings.



System of Extrusion



► ALMAŞ ALÜMİNYUM SANAYİ VE TİCARET A.Ş. ◀

FABRİKA-1

ASO-2 OSB 2007 Cadde No 16
Alcı OSB Mh. Sincan Ankara TR

FABRİKA-2

ASO-2 OSB 2013 Cadde No 25
Alcı OSB Mh. Sincan Ankara TR

+90 312 502 30 85
+90 312 502 30 86

www.almasaluminyum.com
info@almasaluminyum.com